cimilre NOTE!

We value the overall quality of health,safety and happiness for **babies and mums!**

Healthy babies, healthy mums!

Innovative design providing excellent care for child care

Dual UV Lamps for more effect.

Integrated LED handles Night light for better sight.

Light and Compact Portable Breast Pumps.

All in One Pump and UV Sterilizer.

Enjoy more freedom with Hands Free breast shield.

Multiple features, easy to use controls, premium interface.

cimilre
Customer Service : 1588.6038
#202, Sagimakgol-ro 148, Jungwon-Gu, Seongnam-Si, Gyeonggi-Do, South Korea
www.cimilrebaby.com

For Good Life

cimilre

Best choice for mum and infant!

Various products with wide range of features for all mums!

Hands Free Breast Shields

Multiple features with user-friendly interface



Built-in LED Lamp handle S3

250g of light and compact design! F1

엎어도OK! 세워도OK!

2-in-1 (S3 + CW-T300) **COMBO**
Pump and UV Sterilize All-in One

cimilre Manufacturer and developer of baby care products

cimilre F1

Electric Powered Breast Pump F1

Designed light and compact for easy portability.

F1

250g of Light and Compact Design!

Smart Auto Power Off
Device powers off automatically when exceeding 30 min. of expression.

2hours
Runs full 2hours in one charge.

Light and Compact
Light weight 250g device designed for portability to take with you on the go

Use on the Road
Connect device with car cigar jack adaptor to use in a car (cigar jack adaptor sold separately).

Free Volt
Powers with conventional DC adaptor to easily use in all regions.

Strong Mobility
Express anytime, anywhere, comfortably with F1 Powered Breast Pump

Light weight - 250g
Fits in your palm

10 LEVELS — **Express Mode**

5 LEVELS — **Massage Mode**

Less than 45dB — **Ultra Silent**

Single / Double Pump — **Built-In**

Breast Shield SET + MultiCap + Milk Bottle
(F1 Standard Components)

CIMILRE Breast Shield
Cimilire Breast Shields are fully compatible with milk bottles from other Brands



Electric Powered Brest Pump F1 Specfication

Type	Electric Powered Breast Pump
Model	CIMILRE F1
Purpose of use	Express Breast Milk
Instructions and Precautions	Refer to Manual
Type and Degree of protection against Eletric Shock	Class Ⅱ a, BF
Type of Adaptor	Input AC 100-240V, 50/60Hz
	Output DC 12V/2A
Power Consumption	0.8A
Packaging and Unit Weight	1Set, Approx, 930g (Device - 250g)
Serial Number and Manufactured Date	Printed on Box
Manufacturer License	5256
Manufacturer	Cimilre Co., Ltd

Do not use this product for purposes other than as a medical device

cimilre S3

Electric Powered Breast Pump S3

Integrated LED Night Light

S3

3 Step Dim Control LED Lamp Handle

Built-In LED Night Light
Pump even in the dark!

Less than 45dB — **Ultra Silent**

Double Pumping — Select between single or double pumps

Multiple Pressure Level Control — **Express & Massage**

Automatic Power Off after 30 minutes of expression for safe use

Express Mode
1-12 level
12 Level Pressure Control

Cycle Control
5 Level
30/34/38/42/46 - Control upto 5 Levels of cycles per minute for express mode

Massage Mode
1-5 level
5 Level Pressure Control

Adjustable cycles per minute and multiple pressure levels from 1~12

Simple and Convenient Use — User-friendly for easy and comfortable pumping

POWER — Power Button
Start and stops expression

CYCLE — Level Controls

MASSAGE — Massage Button
Switches between Express Mode and Massage Mode

LEVEL — Cycle Button

Pop Up Handle for Easy Mobility

LEVEL 1 | LEVEL 2 | LEVEL 3

Electric Powered Brest Pump F1 Specfication

Type	Electric Powered Breast Pump
Model	CIMILRE S3
Purpose of use	Express Breast Milk
Instructions and Precautions	Refer to Manual
Type and Degree of protection against Eletric Shock	Class Ⅱ a, BF
Type of Adaptor	Input AC 220V, 60Hz
	Output DC 12V/2A
Power Consumption	35A
Packaging and Unit Weight	1Set, (Device - 880g)
Serial Number and Manufactured Date	Printed on Box
Manufacturer License	5256
Manufacturer	Cimilre Co., Ltd

Do not use this product for purposes other than as a medical device



This product is a certified medical device

UV Sterilizer

UV Sterilizer

All in One Breast Pump and UV Sterilizer

cimilre combo

Stainless Steel Interior

360 Degrees Surround Sterilization

Kills 99.9% Germs and Bacteria

Air Filter and Ventilation System

Door Opens 180 Degrees

Place Bottles in Any Position

360 Degrees Surround Sterilization

Increased Space for More Storing

2 Level Sliding Racks

Below 45dB

Ultra Silent

Multi-Purpose

Programmed with 3 phase Auto Sterilize Modes

Standard Color - Ivory

Pink, Blue, Green Order Production

UV Button
Sterilization Process 10 minutes.

AUTO Button
Automatic Process 1-3 Phase.

Breast Pump

Breast Pump

Multiple Pressure Level Control

Express & Massage

Comfortable and Efficient Double Pumping

Automatic Power Off after 30 minutes of expression for safe use

Express Mode

1-12 level

12 Level Pressure Control

Cycle Control

5 Level

30/34/38/42/46 - Control upto 5 Levels of cycles per minute for express mode

Massage Mode

1-5 level

5 Level Pressure Control

Adjustable cycles per minute and multiple pressure levels from 1~12

< Specifications for this pump is equivalent to the S3 pump >

Power Button
Starts and stops expression

Cycle Button

Simple and Convenient Use

User-friendly for easy and comfortable pumping

Massage Button
Switches between Express and Massage Modes

Level Controls

All in One Powered Breast Pump and UV Sterilizer



Cimilre K1(Cimlre combo) Specfication

Type	Electric Powered Breast Pump
Model	CIMILRE K1(combo)
Purpose of use	Express Breast Milk
Instructions and Precautions	Refer to Manual
Type and Degree of protection against Eletric Shock	Class Ⅱ a, BF
Type of Adaptor	Input AC 220V, 60Hz
	Output DC 12V/2A
Power Consumption	55A
Packaging and Unit Weight	1Set, (Device - 5.1Kg)
Serial Number and Manufactured Date	Printed on Box
Manufacturer License	5256
Manufacturer	Cimilre Co., Ltd

Do not use this product for purposes other than as a medical device

Test Results For **Kills 99.9% Germs and Bacteria** UV Sterlization Effect

	Before Sterilize Process	After UV Sterilizing with Cimilre
BLANK(0h) Escherichia coli ATCC 25922		After 5min Sterilizing Escherichia coli ATCC 25922
BLANK(0h) Pseudomenas aeruginosa ATCC 15442		After 5min Sterilizing Pseudomenas aeruginosa ATCC 15442
BLANK(0h) salmonella typhimurium IFO 14193		After 5min Sterilizing salmonella typhimurium IFO 14193
BLANK(0h) Staphylococcus aureus ATCC 6538		After 5min Sterilizing Staphylococcus aureus ATCC 6538

Above test results show sterilization effects for models including CU-T300, CW100,CW-T300, K1 combo

cimilre CU-T300

Dual UV Baby Bottle Sterilizer CU-T300

Dual UV Lamps for quicker and more effective sterilization

CU-T300

Replaceable Front Cover with Multiple Colors

Appealing in similarity



Air Filter	Less than 45dB	Multi-Purpose
Ventilation & Air Outake	Ultra Silent	Programmed with 3 Phase Auto Sterilize Modes

Convenient Door Handle
Scientific Design

CU-T300 & CW-T300

Door Opens 180 Degrees

Similar but Different



CU-T300 / CW-T300 includes
DUAL UV LAMP

Similarity between CU-T300 & CW-T300

- Dries Completely
- Ultra Silent
- Free Volt
- Surround Sterilize
- Wide Door Opening 180 Degrees

CW-T300

Wider Front Pane

Appealing in similarity

cimilre CW-T300

Dual UV Baby Bottle Sterilizer CW-T300

Dual UV Lamps for quicker and more effective sterilization

Appealing in difference

Standard Color - Grey

Pink, Green, Gold
Order Production

Standard Color - Pink

Ivory, Blue, Green
Order Production

Appealing in difference

Cimilre T300 Specfication

Model	CIMILRE K1(combo)
Purpose of use	Express Breast Milk
Rated Voltage	Input AC 100 - 240V, 50/60Hz
	Output DC 12V/2A
Power Consumption	DC 12V / 17W
Dry Method	PTC Low Temperature Air Dryer
Sterilization Method	UV Sterilization
Safety Device	Door Sensor(Power Off), Heat Resin
Material	Heat Resin, Mirror Stainless, Tempered Glass
Measurements	Exterior : W300 x H390 x D320
	Interior : W250 x H310 x D230
Weight	5Kg

Specifications for CW-T300 / CU-T300 are identical and it is designed with diverse exterior designs for personal preferences

Quick Sterilization
Dual, upper and lower UV lamps for effective sterilization.

Breast Shield Connects Directly with Backflow Protector

WIDE & PREMIUM BREAST SHIELD

Backflow Protector Connects Directly to Shield

Designed to be compatible with wide cap milk bottles.

Wide Breast Shield Premium Breast Shield

Designed to be compatible with conventional milk bottles.

Components disassemble for easy cleaning and sanitary use.

Boil in hot water or sanitize with UV Sterilizer for a safe and hygenic use

Compatible with multiple breast pumps.

These soft and comfortable breast shield products are an accessory to use with a breast pump and milk stroring bottle for expressing breast milk

Backflow Preventor connects directly to breast shield.

Backflow Preventor prevents breastmilk getting into device

Structural design of Backflow preventor.

Silicone diaphragm can be easily disassembled for cleaning and reassembled without hassle

More Convenient and Effective Pumping with Hands Free Brest Shields

HANDS FREE BREAST SHIELD SET

More Convenient and Effective Pumping

Compatible with Multiple Pumps

Enjoy the freedom of pumping and daily activities simultaneously!

Hands Free Breast Shield offers busy moms to express their milk and avoid the hassle of being hands tied.

Fits easily onto the bra allowing you to enjoy other activities as you express.



Components disassemble for easy cleaning and sanitary use

Boil in hot water or sanitize with UV Sterilizer for a safe and hygenic use

Compatible with multiple breast pumps

These soft and comfortable breast shield products are an accessory to use with a breast pump and milk storing bottle for expressing breast milk.

Hands Free Breast Shield Set

Provides extra convenience to busy moms allowing expression while attending other activities.

Structural design of Backflow Preventor

Silicone diaphragm can be easily disassembled for cleaning and reassembled without hassle.

Cimilre Premium / Wide Breast Shield Specfication

Model	Premium / Wide Breast Shield

Type	Premium / Wide Breast Shield	Cap Type Backflow Preventor	Valve
Material	PP	PP / SILICONE	SILICONE
	100℃	100℃ / 260℃	260℃

Manufacurer	Cimilre Co., Ltd

Hands Free Breast Shield Specfication

Model	Cimilre Hands Free Breast Shield
Purpose of Use	Attach onto bra to express breast milk without applying hands
Packaging and Unit Weight	1Set, Device - 179g
Serial Number and Manufactured Date	Printed on Box
Manufacturer	Cimilre Co., Ltd





DC 12V - 2A 2.1 Φ

Multiple compatibility 2.1P DC adaptor

Compatible Models :
F1, S3, COMBO, CW-T300,
CU-T300, CW-100,
Cable length : 1.7m

Adaptor 12V 2.1 pie	
Model	KPC-024F 24W
Input	100-240V 50/60hZ 0.8A
Output	12v 2.0A
Input	100-240V 50/60hZ 0.8A
Safety Certification No	HU10628-11003A
Manufacturer	Ningbo ISO Electronic Co., LTD
Retail	Atron
Origin	Made in China

DC 12V - 2A 1.3 Φ

Multiple compatibility 2.1P DC adaptor

Cable Length : 1.7m

Adaptor 12V 1.3 pie	
Model	RS-AB02J00-K
Input	100-240V 50/60hZ 0.8A
Output	12v 2.0A
Input	100-240V 50/60hZ 0.8A
Safety Certification No	HU10283-9006B
Manufacturer	DongguanJinhuasheng Power Technology Co., LTD
Retail	Atron
Origin	Made in China

Cigar DC 12V - 2A 2.1 Φ

12V Cigar Jack Adaptor for Vehicle Use



Compatible Models :
F1, S3, COMBO, CW-T300,
CU-T300, CW-100,

Cigar Jack

Compatible Models

Replacement Tube and Valve

Tube and Silicone Valve accessories for convenient pumping



< Tube and Valve >

Wide Breast Shield | Premium Breast Shield | Hands Free Breast Shield

Wide Cap, Multi Cap

Cap adaptor for connecting brest shield with milk bottle

<Wide Cap : Doctor Brown> | <Wide Cap : AVENT> | <Wide Cap : Pigeon> | <Multi Cap>

Doctor Brown | AVENT | Pegeon | Multi Cap

Doctor Brown | Born free | Avent | Upis | Chicco | Nano silver | Enpeau | Pegeon | For normal sized milk bottles

Backflow Preventor

Prevents backflow of milk to device

Hands Free Breast Shield
(Connect with Tubing)

Wide Breast Shield
(Connects directly)

Premium Breast Shield
(Connects directly)